

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

Paper No.: \_\_\_\_\_

DATE : July 7, 2006

TO SPE OF : ART UNIT 1755

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/723999 Patent No.: B 17,005,005

Please respond to this request for a certificate of correction within 7 days.

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

**Magdalene Talley**

Certificates of Correction Branch

703-308-9390 ext. 116

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

**Comments:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

J. A. LOPEZ  
**SUPERVISORY PATENT EXAMINER**

**SPE**

**Art Unit**

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,005,005 B2

DATED : Feb. 28, 2006

INVENTOR(S) : Maile et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Item 54, Title, change "BIND" to --BINDING--

Column 1

Line 1, change "BIND" to --BINDING--

Column 2

Line 67, change "revegetation" to --revegetation--

Column 4

Line 1, after "crystal matrix" insert --)--

Column 5

Line 50, change "causes" to --cause--

Column 6

Line 2, after "to about 5%" remove [by weight of]

Line 49, after "to about 75%" remove [by weight of]

Line 58, remove [be]

Column 9

Line 47, change "revegetation" to --revegetation--

Line 55, change "seeds. Seeds" to --seeds in--

Column 12

Line 62-63, after "sodium hydroxide" remove [and potassium hydroxide]

Line 63, change "were" to --was--

MAILING ADDRESS OF SENDER (Please do not use customer number)

John M. Guynn  
WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

PATENT NO. 7,005,005 B2

No. of additional copies

→ 0

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,005,005 B2

DATED : Feb. 28, 2006

INVENTOR(S) : Maile et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 13

Line 44-45, after "sodium hydroxide" remove [and potassium hydroxide]

Line 45, change "were" to --was--

Column 15

Line 28, after "pH adjustor" insert --is--

MAILING ADDRESS OF SENDER (Please do not use customer number

John M. Guynn  
WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

PATENT NO. 7,005,005 B2

No. of additional copies

→ 0

P15/REV03  
JUN 30 2006